



Water-based wood preserver

Description: Water-based wood preserver for dipping and brush application

Color: Clear, Brown, Green

Type: Water-based

General Features:

- Easy application (brush or dipping)
- Odorless
- Complies with European Norms
- Ready to use

Packaging Size: 5 L., 15 L., 200 L.

Where to Use:

- Exterior softwoods to be painted above ground level

Product Data:

Density (g/cm ³):	1,05 ± 0,02
Application Method:	Brush or Dipping
Shelf Life (5-35°C):	2 years for unopened can
Number of Coats:	1 coat
Coverage:	Brush Application: 4-5 m ² /L Dipping: 15 L/m ³ (depending on wood type)
Drying Time (at 20°C and 40-65% relative humidity):	Complete Dry: 24 hours
Thinning:	Ready to use, does not require thinning.



Water-based wood preserver

Surface Preparation:

- Timber surface must be completely clean and moisture content of the wood should be below 20%.

Application:

- The product is ready to use and does not require thinning.
 - **Brush Application:** Apply the product on timber by brush until it gets completely wet.
 - **Dipping:** Dip the timber in a stainless steel, polyester or polypropylene tank containing Prime Wood Preserver. The dipping time for softwoods is approximately 6 minutes. Take out the treated timber over the tank and allow the preservative on the surface to drip for around 2-3 minutes. Wait 24 hours for complete dry before coating.
- Wait 24 hours for complete dry before coating.

Instructions:

- For interior & exterior use.
- Harmful for bees.
- Keep product closed when not in use.
- The general application temperature of the product is between 15°C to 25°C at a relative humidity range of 40-65%.
- The moisture content of the wood should be max. 20%.
- The product should be protected from freezing and stored at temperatures between 5°C to 35°C.
- Painting tools should be cleaned with soap and plenty of warm water after application.

Safety Precautions:

- USE WITH ADEQUATE VENTILATION.
- KEEP OUT OF REACH OF CHILDREN.
- Do not transfer contents to other containers for storage.
- Do not use empty plastic cans for other purposes.
- To avoid overexposure, open windows and doors or use other means to ensure fresh air entry during application and drying.
- Avoid contact with eyes and skin.
- Wash hands after using.
- **FIRST AID:** In case of eye contact, flush thoroughly with large amounts of water. Get medical attention if irritation persists. If swallowed, call Poison Control Center, hospital emergency room, or physician immediately.
- Dispose of contents/plastic cans in accordance with national regulations.
- Please refer to the Safety Data Sheet (SDS) of the product for health and safety information.